

**JEFFERSON COUNTY PURCHASING DEPARTMENT
HISTORIC COURT HOUSE, 195 ARSENAL STREET
WATERTOWN, NEW YORK 13601-2565**

PH: (315) 785-3077

FAX: (315) 785-7591

Date of Notice: February 21, 2019

Notice to Bidders

In accordance with Section 103 of General Municipal Law, State of New York, Jefferson County (herein called the County) invites the submission of sealed bids for:

BID #19-11 PURCHASE AND DELIVERY OF DUMP TRUCK FOR JEFFERSON COUNTY HIGHWAY

Bids will be received by the County until **THURSDAY, MARCH 7, 2019 AT 3:30 PM EST** at the office of the Purchasing Department, 195 Arsenal Street, Watertown, New York 13601. All bids submitted must remain valid for up to forty-five (45) days from the date of the bid opening.

Copies of this bid may be examined and copies obtained at the County Purchasing Department. The County reserves the right to reject any and all bids received.

All questions regarding this bid should be submitted in writing to the County Purchasing Department or by email to Purchasing@co.jefferson.ny.us.

INSTRUCTIONS TO BIDDERS & GENERAL REQUIREMENTS

1. With submission of a bid, a Bidder agrees to be bound by the requirements set forth in the following general conditions. Whenever reference is made to "Contractor", "Bidder", or "Vendor", this shall include the party with whom the County enters into an agreement, as well as any subcontractors whom the Bidder has engaged.
2. The County does not assume responsibility for errors or misinterpretations resulting from the use of incomplete sets of documents or documents that were not directly issued by the Jefferson County Purchasing Department. Any Vendor submitting a bid based on incomplete or inaccurate information resulting from documentation received from a third party shall not have cause for relief or completion of a contract in accordance with the official documents on file with the Purchasing Department. Verbal explanations or instructions regarding this bid provided by anyone other than an employee of the Purchasing Department shall be considered informal and will not be binding on the County unless confirmed in writing as an amendment to this solicitation, if such information is deemed necessary for the preparation of uniform bids. The County reserves the right to "Revise" or "Amend" the bid specification prior to the due date by "Written Addenda".

Prior to submission of a bid it is the responsibility of each Bidder to become fully familiar with the requirements of this solicitation. No Bidder may plead misunderstanding because of the misinterpretation of estimates, scope of work, or other issues related to this request. It shall be the responsibility of each Bidder to identify any apparent discrepancy in the specifications or question of interpretation thereof. Failure to do so constitutes acceptance as written. The apparent silence of this specification as to any details or the omission from it of a detailed description concerning any part shall be interpreted as meaning that only the best commercial practices are to prevail and that only materials and workmanship of first quality are to be used. The County shall have the right to waive any technical defect, qualification, omission, informality, or irregularity in any bid received if, in its judgment, the best interest of the County shall thereby be served. **The County will issue no response to any request for clarification received within seven (7) days of the due date.**

3. Bids should be submitted in a sealed envelope marked with the name of the bid and the words "**SEALED BID**" written on the outside of the envelope. No employee in the Purchasing Department will be held liable for the premature opening of any bid received not designated as such. Bids submitted by **FAX OR E-MAIL** will not be accepted.
4. Taxes. No charge will be allowed for federal, state, sales, and excise taxes from which the County is exempt.
5. Deviations. Deviations to the specifications must be fully explained, and if judged to be in the best interest of the County, may be accepted at the sole discretion of the County.
6. Qualifications. Each Bidder must be prepared to present satisfactory proof of his ability to successfully complete the requirements of this solicitation.
The County reserves the right to make whatever investigations or inquiries necessary to determine the competency and ability of any Bidder to complete the requirements of this solicitation. A review may include but not be limited to inspection of the Bidder's facilities and equipment, references or previous contract performance with the County or others.
7. Each bidder affirms that all figures provided are correct to the best of their knowledge and Understands that Jefferson County will not be responsible for any errors or omissions on the part of the bidder regarding estimates, calculations, or preparation of the bid, and will not be grounds for withdrawal or correction of the bid or bid security except as provided under General Municipal Law.
In case of errors between unit and extension of prices, the unit price will govern.

8. Award. The County has endeavored to incorporate within these specifications all the elements which it reasonably anticipates will be required to obtain responses from qualified Bidders. By submission of a bid you agree to provide goods or services consistent with these specifications. The bid will be awarded to the lowest responsive and responsible Bidder meeting the specifications or providing acceptable deviation.

The County reserves the right to reject in whole or part, any or all bids deemed not to be in the best interest of the County at the sole discretion of the County. If two or more Bidders submit identical bids as to price, the decision of the County to award a contract to one of such Bidders shall be final. This contract shall be deemed executory only to the extent of the monies appropriated and available for the purpose of the contract, and no liability on account thereof shall be incurred by the County beyond the amount of such monies. It is understood that neither this contract nor any representation by any public employee or office creates any legal or moral obligation to request, appropriate or make available monies for the purpose of the contract. The County intends to issue a formal Purchase Order to purchase the goods and/or services described in this solicitation. It is understood that the successful Contractor is an independent Contractor and shall not be considered an agent of the County, nor shall any of the Contractor's agents or employees be considered subagents for the County.

PLEASE NOTE THAT THE COUNTY WILL NOT PROVIDE VERBAL RESULTS OF ANY BID. REQUESTS FOR BID RESULTS MUST BE SUBMITTED IN WRITING (EMAIL IS ACCEPTABLE) TO THE JEFFERSON COUNTY PURCHASING DEPARTMENT AT purchasing@co.jefferson.ny.us RESPONSES WILL BE PROVIDED AS SOON AS POSSIBLE.

9. Indemnification. CONTRACTOR agrees to indemnify, defend and hold harmless COUNTY, and its officers, employees and agents from and against any and all claims, liens, demands, judgments, penalties, fines, liabilities, settlements, damages, costs and expenses of whatever kind or nature (including, without limitation, attorneys' fees and disbursements), known or unknown, contingent or otherwise, whether incurred as a result of a claim by a third party or any other person or entity, arising out of or in any way related to: (a) the work or operations of CONTRACTOR in the performance of this Agreement; or (b) CONTRACTOR'S failure to comply with any of the provisions of this Agreement or of the Law. Insofar as the facts and Law relating to any claim would preclude COUNTY or its officers, employees or agents, from being completely indemnified by CONTRACTOR, COUNTY and its officers, employees and agents, shall be partially indemnified by CONTRACTOR to the fullest extent permitted by Law. The acts or omissions of any party employed directly or indirectly by CONTRACTOR, shall be deemed to be that of CONTRACTOR for the purposes of the CONTRACTOR's obligations to defend, indemnify and hold harmless under this Section. The fact that a party so employed by CONTRACTOR is alleged to or is proven to have acted outside the scope of employment, agency or contract, shall not relieve CONTRACTOR of any of its duties under this Section.
10. Venues and Disputes. The exclusive means of disposing of any dispute arising under a contract with Jefferson County, which is not disposed of by agreement, shall be decided in a New York State Court of competent jurisdiction located within Jefferson County, New York. There shall be no right to binding arbitration. Pending final resolution of a dispute, the Vendor must proceed diligently with contract performance. The Vendor waives any dispute or claim not made in writing and received by the County within thirty (30) days of the occurrence giving rise to the dispute or claim. The claim must be in writing for sum certain and must be fully supported by all cost and pricing information.
11. Contract Term and Renewal Option. The initial contract term shall be for the period **FROM DATE OF AWARD UNTIL FINAL DELIVERY AND ACCEPTANCE.** The County may issue new bids for a replacement contract at any time during the term of the initial contract if deemed necessary by the County to do so.
12. Contract Cancellation. Unless otherwise noted, the County of Jefferson retains the right to cancel any contract without cause provided the Vendor is given at least sixty (60) days notice of intent to cancel.

This provision should not be understood as waiving the County's right to terminate the contract for cause or stop work immediately for unsatisfactory work, but is supplementary to that provision.

13. Pursuant to the provisions of Section 109 of the General Municipal Law, no Bidder to whom a contract is granted or awarded shall assign, transfer, convey, subcontract, or otherwise dispose of all or part of such contract, or of his right, title, and interest herein, including the performance of the contract or the right to receive monies due, or to become due, or of his power to execute the contract without the prior written consent of the Jefferson County Purchasing Department. This provision does not prohibit the bidder from entering into employment contracts or contracts for the acquisition of goods or facilities or the provision of services hereunder without the consent of the County.
14. The Successful Bidder agrees to comply with any and all applicable laws, codes, and regulations in connection with the services identified in this bid as well as the non-discrimination and employment practices as required by applicable State and Federal laws and regulations regarding employment discrimination. The bidder assures the County that in accordance with applicable law: it does not and agrees that it will not discriminate in any manner on the basis of age, color, creed, national origin, race, religious beliefs, sexual preference or handicap.
15. FOIL Requests. The New York State Freedom of Information Law (FOIL), as set forth in Public Officers Law, Article 6, mandates public access to certain government records. Generally, responses submitted to this solicitation may constitute government records subject to FOIL. Proposals may contain, among other things, certain technical, financial, or other data and information that constitute trade secrets, if publicly disclosed, could cause substantial injury to the commercial enterprise's competitive position.

The County shall take reasonable steps to protect from public disclosure any of the Records which are exempt from disclosure under Section 87 of the Public Officers Law (the "Statute") provided that: (i) the Contractor shall timely inform an appropriate County official, in writing, that said records should not be disclosed; and (ii) said records shall be sufficiently identified; and (iii) designation of said records as exempt under the Statute is reasonable. Nothing contained herein shall diminish, or in any way adversely affect, the County's right or obligation to disclose in litigation.

16. Equivalency. In submitting a proposal, the Bidder is agreeing to provide goods and services consistent with the specifications. Where a brand name or equivalent specification is used in this solicitation, the use of any brand name noted is for the purpose of describing the standard of quality, performance and characteristics desired and is not intended to limit or restrict competition.

A Contract, if awarded, will be on the basis of materials and equipment as described in the Drawings, or the Specifications, and "or equal" items submitted by the Bidder and accepted by the County. The Bidder may offer "or equal" items that meet the same performance or reliability standards as specified herein. If the Bidder offers an "or equal" item, the Bidder must include with the bid package, documentation establishing equality of construction, operation and utility. Said "or equal" items shall be accepted or rejected based upon the County's evaluation of the submitted documentation. All costs associated with the review of any "or equal" items prior to recommendation to award, shall be at the Bidder's expense.

If a submitted "or equal" item is rejected, the Bidders shall be afforded an opportunity to meet with the County to offer additional qualifying opinions and information prior to the County rejecting the bid. The Bidder shall not have the opportunity to submit any alternative materials or equipment after the bids are opened.

The decision to accept or reject an "or equal" item rests solely with the County. If a substitute "or equal" item is not accepted by the County, the bid will be deemed non-responsive and the County shall reject this bid. The next lowest responsive bid shall then be reviewed for recommendation of award.

17. Jefferson County may access contract pricing available through New York State contracts, GSA Schedule 70, Schedule 84, and Schedule 1122 contracts, and may “piggyback” on some contracts let by other municipal governments. If your products or services are offered through one of these sources, you may offer the pricing of the alternate contract already in place.
If at any time during the term of this contract the successful vendor also has a NYS, GSA, or other contract legally available to the County through General Municipal Law, the County reserves the right to purchase from any or all of the contracts and the vendor agrees to supply goods or services in accordance with that contract if requested to do so.

18. Iranian Energy Sector Divestment. Contractor hereby represents that said Contractor is in compliance with New York State General Municipal Law Section 103-g entitled “Iranian Energy Sector Divestment”, in that said Contractor has not:

- a. Provided goods and services of \$20 Million or more in the energy sector of Iran including but not limited to the provision of oil or liquified natural gas tankers or products used to construct or maintain pipelines used to transport oil or liquified natural gas for the energy sector of Iran; or
- b. Acted as a financial institution and extended \$20 Million or more in credit to another person for forty-five days or more, if that person’s intent was to use the credit to provide goods or services in the energy sector in Iran.

Any Contractor who has undertaken any of the above and is identified on a list created pursuant to Section 165-a (3)(b) of the New York State Finance Law as a person engaging in investment activities in Iran, shall not be deemed a responsible Bidder pursuant to Section 103 of the New York State General Municipal Law.

Except as otherwise specifically provided herein, every Contractor submitting a bid in response to this Request for Bids must certify and affirm the following under penalties of perjury:

- a. “By submission of this bid, each Bidder and each person signing on behalf of any Bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief, that each Bidder is not on the list created pursuant to NYS Finance Law Section 165-a (3)(b).”

Jefferson County will accept this statement electronically in accordance with the provisions of Section 103 of the General Municipal Law.

Except as otherwise specifically provided herein, any Bid that is submitted without having complied with subdivision (a) above, shall not be considered for award. In any case where the Bidder cannot make the certification as set forth in subdivision (a) above, the Bidder shall so state and shall furnish with the bid a signed statement setting forth in detail the reasons therefore. The County reserves its rights, in accordance with General Municipal Law Section 103-g to award the Bid to any Bidder who cannot make certification, on a case-by-case basis under the following circumstances:

1. The investment activities in Iran were made before April 12, 2012, the investment activities in Iran have not been expanded or renewed after April 12, 2012, and the Bidder has adopted, publicized and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran; or
2. The County of Jefferson has made a determination that the goods or services are necessary for the County to perform its functions and that, absent such an exemption, the County of Jefferson would be unable to obtain the goods or services for which the Bid is offered. Such a determination shall be made by the County in writing and shall be a public document.

19. Sexual Harassment. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that the bidder has and has implemented a written policy addressing sexual harassment prevention in the workplace and provides annual sexual harassment prevention training to all of its employees. Such policy shall, at a minimum, meet the requirements of section two hundred one-g of the labor law. Where competitive bidding is not required, state departments and agencies may, at their discretion, require the above certification. A model policy and training has been created by the NYS Department of Labor and can be found here: <https://www.ny.gov/programs/combating-sexual-harassment-workplace>

BID #19-11
PURCHASE & DELIVERY OF DUMP TRUCK FOR JEFFERSON COUNTY HIGHWAY
DETAILED SPECIFICATIONS

INTERNATIONAL MODEL 2020 HV513 SFA (HV513) SPECIFICATIONS:

AXLE CONFIG: 4X2

APPLICATION: Front Plow and Wing with Spreader

MISSION: Requested GVWR: 43000. Calc. GVWR: 45760

Calc. Start / Grade Ability: 34.93% / 4.27% @ 55 MPH

Calc. Geared Speed: 84.1 MPH

DIMENSION: Wheelbase: 195.00, CA: 111.50, Axle to Frame: 63.00

ENGINE, DIESEL: {International A26} EPA 2017, 430HP @ 1700 RPM, 1550 lb.-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max)

TRANSMISSION, AUTOMATIC: {Allison 4000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with

PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway

CLUTCH: Omit Item (Clutch & Control)

AXLE, FRONT NON-DRIVING: {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity

AXLE, REAR, SINGLE: {Meritor RS-30-185} Single Reduction, 30,000-lb Capacity, Driver Controlled Locking Differential,

T Wheel Ends Gear Ratio: 4.89

CAB: Conventional

TIRE, FRONT: (2) 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position

TIRE, REAR: (4) 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive

SUSPENSION, REAR, SINGLE: 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs

PAINT: Cab schematic 100WM

Location 1: 4421, School Bus Yellow (Std)

Chassis schematic N/A

DESCRIPTION:

Base Chassis, Model HV513 SFA with 195.00 Wheelbase, 111.50 CA, and 63.00 Axle to Frame.

AXLE CONFIGURATION {Navistar} 4x2

FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm)

Maximum OAL

BUMPER, FRONT Swept Back, Steel, Heavy Duty

FRAME EXTENSION, FRONT Integral; 20" In Front of Grille

WHEELBASE RANGE 163" (415cm) Through and Including 209" (530cm)

AXLE, FRONT NON-DRIVING {Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity

SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers

SPRINGS, FRONT AUXILIARY Air Bag, Right Side Only, Driver Control

BRAKE SYSTEM, AIR Dual System for Straight Truck Applications

BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 Sq in Long Stroke Brake Chambers

DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank

BRAKE SHOES, REAR Cast

AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)

AIR DRYER {Bendix AD-9} with Heater

BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 36/36 Spring Brake

BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sq In

SLACK ADJUSTERS, FRONT {Haldex} Automatic

SLACK ADJUSTERS, REAR {Haldex} Automatic

BRAKE ATTACHMENT Stainless Steel Slack Adjuster Pins/Cotter Pins on Front and Rear
 BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 36/36 Sq. In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes
 AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder
 AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports
 AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab
 DUST SHIELDS, FRONT BRAKE for Air Brakes
 DUST SHIELDS, REAR BRAKE for Air Brakes
 AIR TANK LOCATION (2): One Mounted Under Each Frame Rail, Front of Rear Suspension, Parallel to Rail
 STEERING COLUMN Tilting
 STEERING WHEEL 4-Spoke; 18" Dia., Black
 STEERING GEAR (2) {Sheppard M100/M80} Dual Power
 AFTERTREATMENT COVER Aluminum
 EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
 ENGINE COMPRESSION BRAKE by Jacobs; for N13/A26 Engines, with Selector Switch and On/Off Switch
 MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel
 EXHAUST HEIGHT 10'
 TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
 ELECTRICAL SYSTEM 12-Volt, Standard Equipment
 SNOW SHIELD (2) Chrome; for Dual Air Horns
 ALTERNATOR {Leece-Neville AV1160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
 BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
 HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord
 BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 2850CCA Total, Top Threaded Stud
 2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab
 RADIO AM/FM/WB/Clock/Bluetooth/USB Input/3.5MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music
 SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
 RADIO, AUXILIARY CONTROLS Mounted in Steering Wheel, Radio Function Control Switch, Includes Volume Up/Down, Mute, Forward/Back and Bluetooth Answer/Disconnect
 BACK-UP ALARM Electric, 102 dBA
 AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications
 SWITCH, AUXILIARY Accessory Control; for Wiring in Roof, with Maximum of 20-amp Load with Switches In Instrument Panel
 BATTERY CABLES with 36" of Extra Length Coiled and Strapped Near Battery Box
 HORN, ELECTRIC Disc Style
 STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated
 BATTERY BOX Steel, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab
 SWITCH, BODY CIRCUITS, MID for Bodybuilder, 6 Momentary Switches in Instrument Panel; One Power Module with 6 Channels, 20 Amp Max. Per Channel, 80 Amp Max Output, Switches Control Power Module Through Multiplex Wiring, Mounted in Cab Behind Driver
 Seat
 BATTERY DISCONNECT SWITCH {Joseph Pollak} for Cab Power Disconnect Switch; Lever Operated, Disconnects Power to PDC, Does

Not Disconnect Charging Circuits, Cab Mounted
 RUNNING LIGHT (2) Daytime
 CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
 TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
 STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
 CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
 TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
 POWER SOURCE, ADDITIONAL Auxiliary Power Output (APO) & USB Port, Located in the Instrument Panel
 FENDER EXTENSIONS Rubber
 LOGOS EXTERIOR Model Badges
 LOGOS EXTERIOR, ENGINE Badges
 HOOD, HATCH (01) for Servicing
 GRILLE Stationary, Chrome
 INSULATION, SPLASH PANELS for Sound Abatement
 BUG SCREEN Mounted Behind Grille
 FRONT END Tilting, Fiberglass, with Three Piece Construction Includes Long Hood
 PAINT SCHEMATIC, PT-1 Single Color, Design 100
 PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
 LABEL, DEF "DEF ONLY"
 PROMOTIONAL PACKAGE Government Silver Package
 SAFETY TRIANGLES
 CLUTCH Omit Item (Clutch & Control)
 ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
 PTO EFFECTS, ENGINE FRONT for N13/A26 Engines, Less PTO, Unit, Includes Adapter Plate on Engine Front Mounted
 ENGINE, DIESEL {International A26} EPA 2017, 430HP @ 1700 RPM, 1550 lb.-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max)
 FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed with Residual Torque Device for Disengaged Fan Speed
 AIR CLEANER Dual Element, with Integral Snow Valve and In-Cab Control
 FEDERAL EMISSIONS {International A26} EPA, OBD and GHG Certified for Calendar Year 2019
 COLD STARTING EQUIPMENT Automatic; with Engine ECM Control
 HOSE CLAMPS, RADIATOR HOSES, Mechanical Type; with Constant-Tension Functionality
 OIL PAN Stainless Steel, for N13/A26 Engines
 FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
 COOLANT FILTER for A26 Engines
 EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
 RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1292 Sq in, 1008 Sq in CAC
 BLOCK HEATER, ENGINE {Phillips} 120V/1150W
 TRANSMISSION, AUTOMATIC {Allison 4000 RDS} 5th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
 OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type
 SHIFT CONTROL PARAMETERS {Allison} 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions
 TRANSMISSION SHIFT CONTROL for Column Mounted Stalk Shifter
 TRANSMISSION COOLER HOSES Stainless Steel
 TRANSMISSION OIL Synthetic; 63 thru 76 Pints
 ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction

TRANSMISSION TCM LOCATION Located Inside Cab
 PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
 PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
 AXLE, REAR, SINGLE {Meritor RS-30-185} Single Reduction, 30,000-lb Capacity, Driver Controlled Locking Differential, T Wheel Ends.
 Gear Ratio: 4.89
 SUSPENSION, REAR, SINGLE 31,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Multileaf Springs
 AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 40 thru 49.99 Pints
 DEF TANK 9.5 US Gal (36L) Capacity, Frame Mounted Outside Left Rail, Under Cab
 FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
 LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail, 20" Back of Cab
 FUEL TANK Top Draw, Non-Polished Aluminum, 26" Dia, 80 US Gal (303L), Mounted Left Side, Under Cab
 CAB Conventional
 AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature
 AIR CONDITIONER with Integral Heater & Defroster
 GAUGE CLUSTER Premium Level; English with English Speedometer and Tachometer, for Air Brake Chassis, Includes Engine Coolant
 Temperature, Primary and Secondary Air Pressure, Fuel and DEF Gauges, Oil Pressure Gauge, Includes 5 Inch LCD Color Display
 GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster
 IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
 VIRTUAL GA, OIL TEMP, AUTO XMSN for Allison Transmission, Requires Premium Cluster
 VIRTUAL GAUGE, OIL TEMP, ENG Requires Premium Cluster
 GAUGE, VOLTMETER Auxiliary Gauge, Located in Center Panel. Standard Cluster Also Includes Digital Voltage Readout
 SEAT, DRIVER {National 2000} Air Suspension, High Back with Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front
 Cushion Adjust, -3 to +14 Degree Back Angle Adjust
 SEAT, PASSENGER {National} Air-Suspension, High Back with Integral Headrest, Cloth, Isolated, 1 Chamber Lumbar, 2 Position Front
 Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment
 GRAB HANDLE Chrome; Towel Bar Type with Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar
 MIRROR, CONVEX, HOOD MOUNTED (2) {Lang Mekra} Heated, Left and Right Sides 7.44" Sq
 MIRRORS (2) Power Adjust, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, 7.55" x 14.1" Flat Glass, 7.48" x 6.77" Convex Glass Both Sides
 MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10 1/4"
 CAB INTERIOR TRIM Diamond, for Day Cab
 WINDSHIELD Heated, Single Piece
 ARM REST, RIGHT, DRIVER SEAT
 ARM REST, LEFT, PASSENGER SEAT
 WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature
 CAB REAR SUSPENSION Air Bag Type
 INSTRUMENT PANEL Wing Panel
 MODESTY PANEL Painted
 SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights
 WINDSHIELD WIPER BLADES Snow Type
 WINDSHIELD WASHER RESERVOIR Mounted Under Cab with Remote Fill Mounted Behind Cab Drivers Side
 ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps Per Door, for use with Regular and Extended Cabs

WHEELS, FRONT {Accuride 29039} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted,
Flanged Nut, with Steel Hubs, Non-Standard Offset, with .5" Thick Disc
WHEELS, REAR {Accuride 29300} DUAL DISC: 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted,
Flanged Nut, with Steel Hubs
(4) TIRE, REAR 12R22.5 Load Range H HDC1 (CONTINENTAL), 479 rev/mile, 68 MPH, Drive
(2) TIRE, FRONT 315/80R22.5 Load Range L HSC1 (CONTINENTAL), 484 rev/mile, 68 MPH, All-Position

Services Section:

WARRANTY Standard for HV513, HV613 Models, Effective with Vehicles Built July 1, 2017 or Later, CTS-2030A SRV CONTRACT, EXT ENGINE/AFTR {Navistar} To 60-Month/100,000 Miles (160,000 km), Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, Aftertreatment Coverage for International A26 Engines

TENCO INDUSTRIES BODY & PLOW SPECIFICATIONS:

One (1) Tenco Model H345-FW

Custom tilting front hitch with Heated LED plow lights and front lift remote

One (1) Tenco Model FFH48-R

48" hydraulic front post

One (1) Tenco Model FRC48-R

48" cable rear tower, armature, and push arms

One (1) Tenco Model TCP-12-S-42-E2-HA2

12 ft. reversible plow with 42" tall steel moldboard, bottom trip edge, swivel plate at 30 1/2" on center, 144" carbide cutting edge (no cover blade), cable sheave lift, rubber snow deflector, and plow markers

One (1) Tenco Model TCW-11H-39-N-R

Right hand wing with 3/16" wing skin, 132" carbide cutting edge w/cover, 32" intake height, and 39 1/2" discharge height

One (1) Tenco Model P48R

4-8-30 trip hinge with aeon rubber compression spring

One (1) Beau-Roc Model DLS

11 ft. dump body with single acting telescopic front hoist and 12" Doghouse

One (1) Smith Spreaders Model SSV-10

10 ft. 304 stainless steel sander, 6.4 cubic yard struck capacity, rear grease and take up extensions, galvanized top screens, side spill shields, and light bar assembly as per request

Body to Include:

Air actuated tailgate, 24" cab protector, 30" sides, 42" straight tailgate, 45 degree front corners, 10" tall long-sills, oval amber LED lights mounted in rear corner posts with all other Federal and NYS required lighting (LED s/t/t, LED back up, LED markers), 10" rear apron, safety prop, folding ladder, interior body step, shovel storage bracket, Roll-Rite aluminum electric tarp system, grease extensions for front hoist, rear hitch plate w/pintle, rear camera system with heated camera and in-cab display, cab mounted light bar assembly with LED strobe and Heated LED plow lights, Road Watch temp sensor, mud flaps front and rear of rear axle, (4) LED work lights, body to be painted Yellow to match cab, and red/white DOT tape .

Hydraulics to Include:

- Rexroth 85cc piston pump, transmission mounted with hot shift PTO and driveline
- Rexroth valve body to be mounted behind cab in a steel enclosure, right side
- All valves and controls are to be air actuated, Apsco controls
- 40 Gallon reservoir with shut off valves mounted behind cab, left side
- Low hydraulic oil level sensor with automatic shut down and momentary over-ride
- Rexroth CS-420 open loop spreader control with remote pause/blast switch, set up and training will be provided
- Hard pipe to rear of body shall be stainless steel with short hoses as required
- Hydraulic lines to front hitch shall be stainless steel with short hoses as required
- Quick couplers for all detachable equipment, thread type
- Plow controls to be mounted as per request
- All valves, oils, and controls for the complete operations of dump body, snowplow, and sander

BID #19-11
PURCHASE & DELIVERY OF DUMP TRUCK FOR JEFFERSON COUNTY
BID PAGE

<u>QTY</u>	<u>DESCRIPTION</u>	<u>TOTAL DELIVERED PRICE</u>
------------	--------------------	------------------------------

1 Ea.	Dump Truck to meet all specifications	\$ _____
-------	---------------------------------------	----------

Warranty, Please Specify _____

Manufacturer / Model / Year: _____

DELIVERY _____ DAYS, ARO

Vendors are required to provide Manufacturer's Literature describing unit bid.

All deviations shall be listed.

COMPANY NAME: _____

BID PROPOSAL CERTIFICATIONS

Firm Name: _____

Business Address: _____

Telephone Number: _____ Fax Number: _____

Email: _____ Federal ID Number: _____

I. General Bid Certification

The bidder certifies that he will furnish, at the prices herein quoted, the materials, equipment, and/or services as proposed on this bid.

Any deviation to specifications is fully explained and attached. By signing and submitting this bid for consideration to the County of Jefferson, the vendor acknowledges that they have read, understand, and agree to the specifications as presented without reservation or alteration.

Deviations: Yes _____ No _____

II. Non-Collusive Bidding Certification

By submission of this bid proposal, the bidder certifies that he is complying with Section 103-d of the General Municipal Law as follows:

Statement of non-collusion in bids and proposals to political subdivision of the state. Every bid or proposal hereafter made to a political subdivision of the state or any public department, agency or official thereof where competitive bidding is required by statute, rule, regulation, or local law, for work or services performed or to be performed or goods sold or to be sold, shall contain the following statement subscribed by the bidder and affirmed by such bidder as true under the penalties of perjury: Non-collusive bidding certification.

A. By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief:

- (1) The prices in this bid have been arrived at independently without collusion, consultation, communication or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor.
- (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
- (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not submit a bid for the purpose of restricting competition.

B. A bid shall not be considered for award nor shall any award be made where A. (1)(2) and (3) above have not been complied with; provided, however, that if in any case the bidder shall so state and shall furnish with the bid a signed statement which set forth in detail the reasons therefore. Where A.(1)(2) and (3) above have not been complied with, the bid shall not be considered for award nor shall any award be made unless the head of the purchasing unit of the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.

- (1) The fact that a bidder (a) has published price lists, rates, or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such items, or (c) has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning subparagraph one (a).

Printed Name of Signer _____
 Authorized Signature _____
 Title _____
 Date _____

NON-BIDDER'S RESPONSE

For purposes of maintaining accurate Bidder's lists and facilitating your firm's response to our invitation for bid, the County of Jefferson is interested in ascertaining reasons for prospective Bidder's failure to respond to invitations for bids. If your firm is not responding to this bid, please indicate the reason(s) by checking any appropriate item(s) below and returning this form to the Jefferson County Purchasing Director, 195 Arsenal Street, Watertown, New York 13601. This form may be returned by mail or fax. Faxes may be sent to 315-785-7591. Failure to submit either a bid proposal or return this form will result in removal of your firm's name from our Bidder's lists. Thank you for your cooperation.

We are not responding to this invitation for bid for the following reason(s)

- Items or materials requested not manufactured by us or not available to our company.
- Our items or materials do not meet specifications.
- Specifications not clearly understood or applicable (too vague, too rigid, etc.)
- Quantities too small.
- Insufficient time allowed for preparation of bid.
- Incorrect address used. Correct mailing address is:

- Our branch/division handles this type of bid.
Correct name and mailing address is:

- We are unable to bid at this time but would like to continue to receive invitations for bids.
- We are unable to bid and wish to be removed from the Bidder's list.

NAME OF FIRM: _____

MAILING ADDRESS: _____

CITY/STATE/ZIP CODE: _____

BY: _____

Signature of Representative

DATE: _____

Bid Number: 19-11

Bid Name: **PURCHASE & DELIVERY OF DUMP TRUCK FOR JEFFERSON COUNTY HIGHWAY**

Attachment
Certification Pursuant to Section 103-g
of the New York State
General Municipal Law

- A. By submission of this bid, each Bidder and each person signing on behalf of any Bidder certifies, and in the case of a joint bid, each party thereto certifies as to its own organization, under penalty of perjury, that to the best of its knowledge and belief that each Bidder is not on the list created pursuant to paragraph (b) of subdivision 3 of Section 165-a of the New York State Finance Law.
- B. A Bid shall not be considered for award, nor shall any award be made where the condition set forth in Paragraph A above has not been complied with; provided, however, that in any case the Bidder cannot make the foregoing certification set forth in Paragraph A above, the Bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefore. Where Paragraph A above cannot be complied with, the Purchasing Unit to the political subdivision, public department, agency or official thereof to whom the bid is made, or his designee, may award a bid, on a case by case basis under the following circumstances:
1. The investment activities in Iran were made before April 12, 2012, the investment activities in Iran have not been expanded or renewed after April 12, 2012, and the Bidder has adopted, publicized and is implementing a formal plan to cease the investment activities in Iran and to refrain from engaging in any new investments in Iran; or
 2. The political subdivision makes a determination that the goods or services are necessary for the political subdivision to perform its functions and that, absent such an exemption, the political subdivision would be unable to obtain the goods and services for which the contract is offered. Such a determination shall be made in writing and shall be a public document.

Signature

Title

Date

Company Name